CLASS # 24 TIRE INFLATOR WITH GAUGE

These tire inflating tools are for professional and home use with all direct air lines and any type of tube air filler. They have standard 1/4" female NPT fittings for your 1/4" and 3/8" air hoses.

The attached pressure gauge measures from 10 to 220 lbs. of pressure in 2 lb increments and it has a weatherproof heavy plastic body with an easy to read dial. Built in air release mechanism allows for optimal pressure control.


It has a chrome plated steel dual chuck with an extension cap that fits all rim cover holes; and a 12" flexible hose. **IMPORTED.**



ITEM#:	DESCRIPTION:
30TIG2	AIR TIRE INFLATOR WITH GAUGE

CLASS # 24 QUICK COUPLERS

These are the Amflo quick release, top quality US made couplers. They have the standard 1/4" NPT threads and will fit all 3/8" air hoses and 3/8" air tools. The most typical application is the C20, female coupler, and the male plug, CP21. AMERICAN MADE




C20 - FEMALE COUPLER



CP21 - MALE PLUG



CP20 - FEMALE PLUG



C21 - MALE COUPLER

ITEM#: DESCRIPTION:

C20	AMFLO KWIK CHANGE FEMALE COUPLER
C21	AMFLO KWIK CHANGE MALE COUPLER
CP20	AMFLO KWIK CHANGE FEMALE PLUG
CP21	AMFLO KWIK CHANGE MALE PLUG

CLASS # 24 5 PC. AIR BLOW GUN KIT

This is a 5 piece air blow gun kit that features the air gun itself and four interchangeable tips to reach into various tight spaces. The air gun is a metal construction and chrome plated to prevent rust. It has a rubber tip, a standard 1/4" NPT air inlet and a cushioned thumb grip for comfort.

Included are 4 interchangeable lances; a 4" extension tip, a 3" extension tip, a 2" extension tip and a 3/4" ventless tip which provides concentrated air stream.

These are for use in garages, service stations, and factories. Hooks up to any standard air hose and are used for a variety of cleaning purposes such as fuel lines, sawdust etc.



ITEM#:	t: DESCRIPTION:		
413KIT	5 PC. 1/4" AIR BLOW GUN KIT		

CLASS # 24 1/4" AIR BLOW GUN

All metal construction, chrome plated to prevent rust with a cushioned thumb grip for comfort. Has the standard 1/4" NPT air inlet and comes with two interchangeable nozzles; one for spraying and one for stream.

These are for use in garages, service stations, and factories. Hooks up to any standard air hose and used for a variety of cleaning purposes such as fuel lines, sawdust etc.

This air gun is also available with a 24" long wand for real hard to get to areas and it includes a removable rubber tip. This is a real handy item and a great add on. Import.



11 LW#:	DESCRIPTION:
413	1/4" AIR BLOW GUN
930	24" LONG 1/4" AIR BLOW GUN

CLASS # 24 AIR HOSE WHIPS

These are American made air hose whips. They attach to the end of an air tool, which is then attached to a much longer length of air hose allowing easy rotation and maneuvering of the tool without twisting the air line.

They also eliminate the need for a coupler and plug, which could create air pressure loss. These whips are a 3/8" ID and available in either 36" or 6' lengths and complete with brass fittings on each end. Goodyear engineered product.



ITEM#:	DESCRIPTION:
I I I∆IVI∏ •	DESCRIPTION.

WHIP	3' RUBBER AIR HOSE WHIP
WHIP6	6' RUBBER AIR HOSE WHIP

CLASS # 24 AIR CONTROL UNIT

This is a complete air control unit for all compressed air systems. The unit is complete with an air filter that filters out all of the flying particles and impurities from your air system, such as dirt, rust, water vapors or oil. All of which can damage your air tools.

This unit also comes complete with an air regulator and a lubricator. It regulates the air pressure from 0 to 150 PSI and it lubricates your air tools as you use them. Comes assembled and ready to install. Imported.



ITEM#:	DESCRIPTION:
NAM	AIR CONTROL UNIT

CLASS # 24 BLUE COIL AIR HOSE

These blue Polyurethane, coil air hoses are high tensile, low deformation rated air lines that really take the abuse of a fast paced, production shop.

They are weatherproof to minus 40° with a working pressure of 100 PSI and a maximum working pressure of 250 PSI. The brass ends have the vinyl guards so the stress at the connection point is minimal and they'll hold up to constant pressure and give you years of use. Imported.



ITEM#: DESCRIPTION:

381	1/4" x 25' BLUE COIL AIR HOSE – 1/4" FIT
382	1/4" x 50' BLUE COIL AIR HOSE – 1/4" FIT
RH3825B	3/8" x 25' BLUE COIL AIR HOSE – 3/8" FIT
RH3850B	3/8" x 50' BLUE COIL AIR HOSE – 3/8" FIT

CLASS # 24 1/4" RED AIR HOSE

This is American made red rubber air hose engineered by Goodyear[®]. It is rated at 250 PSI bursting strength and features two ply of tough nylon braid reinforcing and two ply Goodyear rubber. The rubber jacket is resistant to oils and chemicals and there are 1/4" brass male fittings on the ends.

This 1/4" hose is sufficient to run your 1/4" and 3/8" drive air tools as well as air sanders, hammers, saws etc. It is not recommended for 1/2" air tools as the smaller hose does not permit the volume of air needed.

1/4" hose is also preferred by roofers as it allows the right pressure for nail guns and, because it is lighter in weight it is ideal when dragging across a roof.



ITEM#:	SIZE:	DESCRIPTION:
395	1/4" x 25"	RED RUBBER AIR HOSE
396	1/4" x 50"	RED RUBBER AIR HOSE

CLASS # 24 RED RUBBER AIR HOSE

This is red rubber air hose engineered by Goodyear[®]. It is 300 PSI air hose that can withstand the greatest of abuse in shops and garages. These hoses are 3/8" ID and feature a 2 ply inside reinforcing and a 2 ply Goodyear rubber jacket.

Unlike other air hoses, this tough red rubber air hose will not get pin holes associated with welding splatter. It is oil resistant and each end has the appropriate male brass fittings, (see chart below for fitting size).

This hose is also available with 1/2" ID in 25' and 50' lengths and has a 450 lb working pressure and a 600 lb. burst pressure. 1/2" hose is available with 3/8" or 1/2" NPT fittings. A Goodyear engineered product.



ITEM#:	SIZE:	DESCRIPTION:	FITTINGS:
3825R	3/8" x 25"	RED RUBBER AIR HOSE	1/4" NPT
3835R	3/8" x 35"	RED RUBBER AIR HOSE	1/4" NPT
401R	3/8" x 50"	RED RUBBER AIR HOSE	1/4" NPT
401RVG	3/8" x 50"	RED RUBBER AIR HOSE	1/4" W/GUARD
401R100	3/8" x 100"	RED RUBBER AIR HOSE	1/4" NPT
374	1/2" x 25"	RED RUBBER AIR HOSE	3/8" NPT
402R38	1/2" x 50"	RED RUBBER AIR HOSE	3/8" NPT
402R100	1/2" x 100"	RED RUBBER AIR HOSE	3/8" NPT
376	1/2" x 25"	RED RUBBER AIR HOSE	1/2" NPT
402R12	1/2" x 50"	RED RUBBER AIR HOSE	1/2" NPT

CLASS # 24 100' RETRACTABLE AIR HOSE REEL

These are industrial grade hose reels with multiple position mounting and adjustable guide arms, so you can mount these on any ceiling or wall. These reels have a full flow, solid brass spool, with four direction, non-snag rollers, and machined automatic rewind, just give it a tug, and the hose will retract immediately.

They come complete with 100 feet of yellow rubber air hose rated at 300 PSI, with the standard 1/4" NPT brass fittings. The housing is constructed of industrial grade steel and the whole unit weighs 61 Lbs. IMPORTED



ITEM#: DESCRIPTION:

AHR100 | 3/8" x 100' RETRACTABLE AIR HOSE REEL W/ HOSE

CLASS # 24 ORANGE PLIOVIC AIR HOSE

This is orange safety air hose engineered by Goodyear[®]. It features a 300 PSI working pressure and a 1200 PSI bursting pressure. The pliovic construction makes it much lighter than traditional rubber air hose however the downside is that it does get a little stiff in cold weather so it should be used indoors in the shop as opposed to outside in the cold.

These hoses are gas and oil resistant, and have the standard 1/4" male fittings on each end. USA Made and available with or without the protective vinyl guard on one end. A Goodyear engineered product.



ITEM#:	SIZE:	DESCRIPTION:
390	3/8"x 35"	ORANGE PLIOVIC AIR HOSE
390VG	3/8"x 35"	ORANGE PLIOVIC HOSE W/GUARD
391	3/8"x 25"	ORANGE PLIOVIC AIR HOSE
391VG	3/8"x 25"	ORANGE PLIOVIC HOSE W/GUARD
397	3/8"x 50"	ORANGE PLIOVIC AIR HOSE
397VG	3/8"x 50"	ORANGE PLIOVIC HOSE W/GUARD

CLASS # 24 BLUE PLIOVIC AIR HOSE

This is blue Pliovic[®] air hose engineered by Goodyear[®]. It is a 300 PSI air hose that can withstand the greatest abuse. It is resistant to oil, gas, heat and anti-freeze. It also stays flexible in the sun or all the way down to minus 40° .

These hoses have standard 1/4" male fittings on each end and are available with or without the protective vinyl guard. A Goodyear engineered product.





ITEM#:	SIZE:	DESCRIPTION:
389	3/8"x 25"	BLUE PLIOVIC AIRHOSE
389VG	3/8"x 25"	BLUE PLIOVIC AIRHOSE W/GUARD
394	3/8"x 35"	BLUE PLIOVIC AIRHOSE
394VG	3/8"x 35"	BLUE PLIOVIC AIRHOSE W/GUARD
393	3/8"x 50"	BLUE PLIOVIC AIRHOSE
393VG	3/8"x 50"	BLUE PLIOVIC AIRHOSE W/GUARD

CLASS # 24 PVC AIR HOSE

These air hoses feature a PVC coating, (Reticulated Polyvinyl Chloride) that makes it resistant to grease, acids, oils, abrasion and other materials that can corrode standard rubber hoses.

PVC hose has a working pressure of 250 PSI and a bursting pressure of 1200 PSI. The 3/8" hoses have standard 1/4" male fittings. USA Made.



ITEM#:	SIZE:	DESCRIPTION:
AHB25	3/8" x 25"	BLUE PVC AIR HOSE
AHB	3/8" x 50"	BLUE PVC AIR HOSE
398	3/8" x 100"	BLUE PVC AIR HOSE
399	3/8" x 300'	BLUE PVC AIR HOSE
AHO35	3/8" x 35"	ORANGE PVC AIR HOSE
AHO100	3/8" x 100"	ORANGE PVC AIR HOSE
AHY	3/8" x 50"	YELLOW PVC AIR HOSE
AHY100	3/8" x 100"	YELLOW PVC AIR HOSE

CLASS # 24 MILLENIUM AIRHOSE

The new Millennium air hose engineered by Goodyear[®] is a high visibility black air hose that has a bright yellow stripe along the jacket. You can almost see it in the dark!

This hose has a 300 PSI working pressure and a 1200 PSI bursting pressure. The vinyl hose guard on one end prevents damage to the hose fitting.

This hose is also used for pneumatic machinery, spray solutions, and a lot of other multi purpose applications. It is weather and abrasion resistant. USA Made. A Goodyear engineered product.



ITEM#: SIZ	E:	DESCRIPTION:
------------	----	---------------------

384	3/8" x 25"	MILLENIUM HI VIZ AIRHOSE
385	3/8" x 35"	MILLENIUM HI VIZ AIRHOSE
386	3/8" x 50"	MILLENIUM HI VIZ AIRHOSE
38675	3/8" x 75"	MILLENIUM HI VIZ AIRHOSE
387	3/8" x 100"	MILLENIUM HI VIZ AIRHOSE

CLASS # 24 ACE HYPER FLEX AIR HOSE

New, Goodyear® engineered Hyper Flex air hose is made exclusively for Ace Industrial Supply. This air hose features durability and dependable power in a very lightweight and flexible design. The jacket is a matte blue thermoplastic elastomer reinforced with polyester fiber for ultra flexibility.

This is an all weather air hose with excellent cold weather performance. It has a temperature rating of -40°F to 158°F (-40°C to 70°C). It requires up to 20% less force to bend than industry leading Flexilla® hose, and up to 50% less than any comparable PVC and rubber air hose. Working pressure is 300 PSI.

This hose is up to 45% lighter in weight than comparable PVC and rubber air hose and testing shows that Hyper Flex air hose matches industry leading levels of durability performance while also providing a non marking surface. They have threaded brass fittings and the 3/8" hoses have a protective vinyl guard on one end. USA made.

ITEM#:	DESCRIPTION:	FITTINGS:
HP1425	HYPER FLEX AIR HOSE – 1/4" x 25'	1/4" NPT
HP1450	HYPER FLEX AIR HOSE – 1/4" x 50'	1/4" NPT
HP14100	HYPER FLEX AIR HOSE – 1/4" x 100'	1/4" NPT
HP25	HYPER FLEX AIR HOSE – 3/8" x 25'	1/4" NPT
HP35	HYPER FLEX AIR HOSE – 3/8" x 35'	1/4" NPT
HP50	HYPER FLEX AIR HOSE – 3/8" x 50'	1/4" NPT
HP100	HYPER FLEX AIR HOSE – 3/8" x 100'	1/4" NPT
HP1225	HYPER FLEX AIR HOSE – 1/2" x 25'	3/8" NPT
HP1250	HYPER FLEX AIR HOSE – 1/2" x 50'	3/8" NPT
HP12100	HYPER FLEX AIR HOSE – 1/2" x 100'	3/8" NPT

HYPER FLEX AIR HOSE – 1/2" x 25'

HYPER FLEX AIR HOSE – 1/2" x 50'

HYPER FLEX AIR HOSE – 1/2" x 100'

HP122512 HP125012

HP1210012

1/2" NPT

1/2" NPT

1/2" NPT

CLASS # 24 VINYL GUARD AIR HOSES

These are the same top quality air hoses that we have always carried, but with the added feature of a 4" vinyl sleeve that covers one end of the hose.

This vinyl guard gives the hose a bend restriction at the point where the coupling and the hose take the most abuse, preventing twisting, bending and kinking and the eventual destruction of the entire air line.

The 4" vinyl guard also gives the hose high visibility and helps to protect against scratching in automotive applications. These hoses are Goodyear® engineered products.



ITEM#:	SIZE:	DESCRIPTION:
397VG	3/8"x 50"	ORANGE PLIOVIC W/ VINYL GUARD
40105VC	2/922 252	WELLOW DUDDED W/WINVI CHADD

40125VG	3/8"x 25"	YELLOW RUBBER W/ VINYL GUARD
392VG	3/8"x 35"	YELLOW RUBBER W/ VINYL GUARD
401VG	3/8"x 50"	YELLOW RUBBER W/ VINYL GUARD

401B25VG	3/8"x 25"	BLACK RUBBER W/ VINYL GUARD
388VG	3/8"x 35"	BLACK RUBBER W/ VINYL GUARD
401BVG	3/8"x 50"	BLACK RUBBER W/ VINYL GUARD

CLASS # 24 3/8" x 50' AIR HOSE REEL

These reels come fully loaded with a 50' rubber air hose. They have the four direction, non-snag hose rollers with the adjustable stop that you can set to any length you want to hang out or down.

To reduce wear, the hose attaches to the reel with a heavy duty, swivel joint and spring guard and the hose itself is non-conductive to eliminate any possibility of combustion.

The reel can be mounted on the ceiling, the floor, or wall, or even to the bottom of a truck, because the guide arm is fully adjustable. A fully enclosed spring mechanism operates quickly with a gentle tug on the hose line.

They're made from a heavy gauge, non-flexing, rolled steel and have a 1/4" thick steel base plate and are long life, maintenance free hose reels that will make life easier in your shop or garage for years.



Specifications:

- **>** 3/8" x 50' Rubber air hose
- > 250 PSI
- > Air Inlet / Outlet: 3/8"
- > 1/4" NPT Fittings
- > 19-1/2" Diameter
- ➤ 10-1/4" Wide
- > 20-3/4" High



ITEM#:	DESCRIPTION:
--------	---------------------

3688 3/8" x 50' AIR HOSE REEL W/ HOSE

CLASS # 24 1/2" x 50' AIR HOSE REEL

These 1/2" air hose reels by Astro Pneumatic are made for heavy use in bus terminals, fleet garages, and now for anyone needing 1/2" air hoses that they want up and out of the way.

The reels come fully loaded with 50' of heavy duty, red rubber air hose and have the four way non-snag hose rollers, adjustable stop, non-slip spring guards, and reinforced joints. They can be mounted securely on the floor, the wall, or the ceiling for long-life, maintenance free use. They're constructed of heavy, non-flexing, rolled steel and have a 1/4" thick steel base plate.

The air hose is 1/2" I.D., 50' long, 250 PSI and equipped with standard 3/8" fittings for big air tools. The measurements of the entire unit are 19 1/2" diameter, 10 1/4" wide, and 20 3/4" high from base plate to hose stop. Fully assembled, just unpack and mount. IMPORTED.



ITEM#:	DESCRIPTION:
3689	1/2" x 50' RETRACTABLE AIR HOSE REEL

CLASS # 24 3/8" AUTOMATIC HOSE REEL

Quality makes a big difference in hose reels, and Coxreels[®] has been making state of the art reels for over 60 years. These reels have 4-direction, non-snag hose rollers to reduce wear and full flow swivel joints where the hose attaches to the reel.

Coxreels[®] have a heavy duty 1" solid steel axle, not a hollow core, like most reels. The sides of the housing are heavy, ribbed steel discs that have fully rolled edges for maximum protection.

These reels are versatile too. They can be used with either air or water hose. They have a heavy duty 1/4" steel plate base and support post and the guide arm easily adjusts to ceiling, floor, wall, and even bottom wind truck mounting. The balanced spring motor is fully enclosed and packed in grease, for long life. USA MADE



ITEM#:	DESCRIPTION:
CR50	3/8" HOSE REEL ONLY (NO HOSE)

(NOTE: THESE REELS DO NOT COME WITH HOSE!)

CLASS # 24 3/8" x 25' RETRACTABLE AIR HOSE REEL

This is a heavy duty, 3/8" I.D. 25' air hose reel with a spring powered, automatic rewind feature, and an all steel housing designed for industrial or commercial use.

It has an extra large reel diameter to prevent walk-up hose binding, and 4-way roller guides and a guide arm that adjusts for any mounting position, including floor, pit and ceiling mounting.



Specifications:

- Hose Capacity: 3/8" x 25'
- $\sqrt{3/8}$ " Air Inlet / Outlet
- Reel Diameter: 19 1/2"
- **√** Width: 10 1/4"
- $\sqrt{}$ Overall Height: 20 3/4"
- √ Includes: 25' Rubber Hose and
 - hose stop
- $\sqrt{}$ IMPORTED

ITEM#:	DESCRIPTION:
380	25' x 3/8" RETRACTABLE AIR HOSE REEL

CLASS # 24 JACK HAMMER HOSE

This is American made, 3/4" red rubber jackhammer hose. It features a 300 PSI working pressure and 1200 PSI bursting pressure and is oil, gas and grease resistant.

The outside rubber jacket is heavy duty, and resists crushing, cracking, abrasion and weather. They are fitted with the 'Dixon or Air King' type 3/4" universal twist lock connectors that are steel banded on the ends.

This hose is industrial quality to handle tough applications and used by municipalities, contractors and road construction. A Goodyear engineered product.



ITEM#:	DESCRIPTION:
403	3/4" x 50' JACKHAMMER HOSE

CLASS # 24 WATER HOSE

RUBBER WATER HOSE



This is an all rubber, American made water hose. It is specially made for hot water use to 160° yet it can maintain flexibility in sub zero temperatures. It resists abrasion and it is very durable under any conditions and is ideal for any commercial or industrial use.

The hose comes with solid brass 5/8" octagon fittings, and has a working pressure of 200 PSI. OSHA approved.

ITEM#:	DESCRIPTION:

409	3/4" x 25' BLACK RUBBER WATER HOSE
404	3/4" x 50' BLACK RUBBER WATER HOSE
411	3/4" x 100' BLACK RUBBER WATER HOSE

PVC WATER HOSE



This is a heavy duty, blue PVC water hose rated at 1,000 PSI bursting pressure. This hose is very tough and wont crack or break like the cheap hoses do.

It is extremely flexible and resists oil, and abrasions. This will not leave marks like the rubber hoses will and it is OSHA approved.

	DESCRIPTION:
ITEM#:	DESCRIPTION

WHB50	3/4" x 50' BLUE PVC WATER HOSE
WHB100	3/4" x 100" BLUE PVC WATER HOSE

CLASS # 24 GREEN WATER HOSE

This is heavy duty green Pliovic water hose engineered by Goodyear[®]. The unique thing about this hose is that it won't crack or break, plus it's completely resistant to oil, chemicals, and is also abrasion resistant.

The machined brass fittings are 3/4" NPT on the 3/4" hose and 1" NPT on the 1" hoses and will fit standard water spigots. They are rated at 300 PSI working strength.

These hoses are ideal for use by landscapers, contractors, golf courses, maintenance shops and any other business that needs a large volume water hose. OSHA Approved. A Goodyear engineered product.



ITEM#:	SIZE:	DESCRIPTION:
WHG50	3/4" x 50"	GREEN PLIOVIC WATER HOSE
WHG75	3/4" x 75"	GREEN PLIOVIC WATER HOSE
WHG100	3/4" x 100"	GREEN PLIOVIC WATER HOSE
1WHG50	1" x 50"	GREEN PLIOVIC WATER HOSE
1WHG75	1" x 75"	GREEN PLIOVIC WATER HOSE
1WHG100	1" x 100"	GREEN PLIOVIC WATER HOSE

CLASS # 24 GREEN GARDEN HOSE

These are 5/8" diameter by 50 foot long green garden hoses. They are 3 ply hoses with an abrasion proof jacket and rated 'industrial'.

They are constructed with a 'Flexon' covering so they will stay pliable in cold weather and have a knitted nylon reinforcement and solid brass, full flow couplings. They're USA made and carry a 3 year warranty.



ITEM#:	DESCRIPTION:	
GWH50	5/8" x 50' USA GREEN GARDEN HOSE	

CLASS # 24 RUBBER-VINYL WATER HOSE

This 5/8" x 50' water hose is made from a recycled rubber-vinyl compound and is designed for heavy use in commercial applications. It features the tough strength of vinyl while retaining the flexibility of rubber and has an abrasion resistant outer cover and machined, crush proof, solid brass octagonal couplers. Not for hot water or drinking use. Import.



ITEM#:	DESCRIPTION:	
RWH50	5/8" x 50' RED RUBBER-VINYL WATER HOSE	

CLASS # 24 5 PC. BRASS QUICK COUPLER SET

These are quick-connect couplers for all 3/8" air hose with the standard 1/4" fittings. After securing these ends to your air line, simply pull back the sleeve and push in the plug hose end provided.

No need to ever thread air lines together, just attach any of these quick connectors and 'pop on' air tools or another length of air hose. This 5 piece brass plated coupler set includes 1 female coupler, 1 female connector and 3 male connectors. Imported.



ITEM#:	DESCRIPTION:		
932	5 PC. BRASS OUICK COUPLER SET		

CLASS # 24 1/2" x 50' AIR HOSE REEL

Here's a big air hose reel for the big power tools! This is a 1/2" I.D. 50' long air hose on a heavy duty, retractable reel. The all steel constructed reel has a four-roller, adjustable rewind stop for convenient positioning of the hose, an anti-snag hose guide, and can be mounted on the floor, wall or ceiling.

Because 1/2" air hose is a very bulky and a very heavy hose to work with, the beauty of this unit is that it will prevent the hose from looping on the floor, snagging on other shop equipment and even prevent someone from tripping and injuring themselves over a loose hose.

Included is a non-conductive, 300 PSI, 1/2" x 50' air hose with 3/8" fittings for the big air wrenches, air hammers etc. The whole unit with the air hose weighs 55 Lbs and it measures approximately 20" in diameter, 10 1/4" wide and 20 3/4" high from mounting base to hose stop. IMPORTED



ITEM#:	DESCRIPTION:
AHR1250	1/2" x 50' RETRACTABLE AIR HOSE REEL

CLASS # 24 50' RETRACTABLE AIR HOSE REEL

This is a heavy duty, 3/8" I.D. 50' air hose reel with a spring powered, automatic rewind feature, and an all steel housing designed for industrial or commercial use.

It has an extra large reel diameter to prevent walk-up hose binding, and 4-way roller guides and a guide arm that adjusts for any mounting position, including floor, pit and ceiling mounting.



ITEM#:	DESCRIPTION:		
AHR50	50' x 3/8" RETRACTABLE AIR HOSE REEL		

CLASS # 24 ARMOR TECH AIR HOSE

A new technological breakthrough in air hose engineered by Goodyear[®]. The new Armor Tech hose is twice as strong yet lighter in weight than any other hose on the market.

It features a 300 PSI working pressure and a 1200 PSI bursting pressure. It has the standard 1/4" NPT fittings on each end and they are triple crimped beneath the protective jacket. On the working end of the hose is a heavy duty vinyl guard for even more protection when attached to pneumatic tools.

Armor Tech is shielded for abrasion resistance against any surface that gets in its way! This is a petroleum based product and with oil prices going through the roof, the new technology of this air hose has allowed us to offer the best hose on the market yet still manage to keep the cost down. This is a Goodyear engineered product.



TTEM#:	SIZE:	DESCRIPTION:
CK25	3/8" x 25"	ARMOR TECH AIR HOSE - USA
CK35	3/8" x 35"	ARMOR TECH AIR HOSE - USA
CK50	3/8" x 50"	ARMOR TECH AIR HOSE - USA
CK100	3/8" x 100"	ARMOR TECH AIR HOSE - USA



BLACK WIDOWAIR HOSE

Black Widow air hose is resistant to any abrasive surface, concrete, asphalt, grating, dirt and anything in its path, this hose is made to last and is virtually eating up the competition!

The outer skin of the Black Widow is made of double wall, Pliovic[®] which completely seals the inner layers from end to end. The fittings on each end are standard 1/4" and they are triple crimped beneath the pliovic skin to make them last and take the abuse.

The Black Widow has a 300 PSI working pressure and a 1200 PSI bursting pressure and the working end features a tough vinyl guard over the fitting to give it even more durability and protection. This is a Goodyear engineered product.



ITEM#:	SIZE:	DESCRIPTION:
BW25	3/8" x 25"	BLACK WIDOW AIR HOSE
BW35	3/8" x 35"	BLACK WIDOW AIR HOSE
BW50	3/8" x 50"	BLACK WIDOW AIR HOSE
BW75	3/8" x 75"	BLACK WIDOW AIR HOSE
BW100	3/8" x 100"	BLACK WIDOW AIR HOSE

CLASS # 24 CLEAR WATER HOSE

This clear water hose is fully cross-braided for strength and flexibility and the outer clear cover is a blend of vinyl polymers over the braiding.

This is ideal hose for golf courses and it is super abrasion resistant. You can pull this hose over concrete and asphalt without the worry of scratching away the covering. You can also leave this hose in the sun all day and it will not cloud over. The ends are steel banded for extreme pressure resistance. USA made.



ITEM#: SIZE: DESCRIPTION	ITEM#: SIZE:	DESCRIPTION:
--------------------------	--------------	---------------------

WHC50	3/4" x 50"	CLEAR BRAID WATER HOSE
WHC75	3/4" x 75"	CLEAR BRAID WATER HOSE
WHC100	3/4" x 100"	CLEAR BRAID WATER HOSE

1WHC25	1" x 25'	CLEAR BRAID WATER HOSE
1WHC50	1" x 50"	CLEAR BRAID WATER HOSE
1WHC75	1" x 75"	CLEAR BRAID WATER HOSE
1WHC100	1" x 100"	CLEAR BRAID WATER HOSE

CLASS # 24 FIRE HOSE NOZZLE

These powerful fire hose nozzles attach to any water hose and provide a strong jet of water that will reach nearly 40' and adjusts for a wide, soaking spray or a fine mist.

This is the perfect wash and rinse tool for the top of an RV, big truck or house siding & windows. Features an aluminum core with a soft cover for a comfortable grip, and attaches to any standard 5/8" water hose. Import.



ITEM#:	DESCRIPTION:
FHN	FIRE HOSE NOZZLE

CLASS # 24 1/2" BLUE AIR HOSE

These air hoses are engineered by Goodyear[®] and have a 1/2" inside diameter. They come with either 3/8" or 1/2" fittings. They are available in various lengths for almost any application.

You can use cheaper air hose, but when you work with big machinery and use high torque, pneumatic tools, why worry about bubbles, pin holes, and blown fittings? This blue air hose is bright, heavy duty, and made to last. USA made. A Goodyear engineered product.



ITEM#:	SIZE:	NPT:	DESCRIPTION:
GY101	1/2"x 25"	3/8"	BLUE AIR HOSE
GY103	1/2"x 35"	3/8"	BLUE AIR HOSE
GY105	1/2"x 50"	3/8"	BLUE AIR HOSE
GY107	1/2"x 75'	3/8"	BLUE AIR HOSE
GY109	1/2"x 100"	3/8"	BLUE AIR HOSE
GY102	1/2"x 25"	1/2"	BLUE AIR HOSE
GY104	1/2"x 35"	1/2"	BLUE AIR HOSE
GY106	1/2"x 50"	1/2"	BLUE AIR HOSE
GY108	1/2"x 75"	1/2"	BLUE AIR HOSE
GY110	1/2"x 100"	1/2"	BLUE AIR HOSE

CLASS # 24 'IRONFLEX' BRAIDED POLY AIR HOSE

This air hose is lighter and more flexible than bulky rubber air hoses of the same length and diameter. It is extra tough to resist oil and abrasion and is super light weight, making it great for elevated air hose applications.

This hose will coil effortlessly and has a working pressure of 200 PSI, and a burst pressure of 700 PSI. Not recommended for cold weather areas in 0° or lower. Imported.



ITEM#:	SIZE:	DESCRIPTION:
I I I I I I I I I I		DESCRIE HOIN

N3850IF	3/8" x 50"	IRONFLEX POLY AIR HOSE
N38100IF	3/8" x 100"	IRONFLEX POLY AIR HOSE

N1450IF 1/4" x 50'	IRONFLEX POLY AIR HOSE
N14100IF 1/4" x 100	IRONFLEX POLY AIR HOSE

CLASS # 24 NEIKO 1/4" x 50' WELDING HOSE REEL

If you have air hose reels, you know how great it is to have your hoses up off the floor; they stay cleaner and you will need fewer replacements, so you save a lot of money and hassles.

These welding hose reels work the same. You can mount them on a wall, the ceiling, or on any mobile structure and your problems with welding hose punctures, splits, and pin holes are greatly reduced.

These are a 50' capacity, with the same retrieval rate as air hose reels and they come with all the necessary mounting hardware and connectors.



ITEM#:	DESCRIPTION:	
N100	NEIKO 1/4" x 50' WELDING HOSE REEL	

CLASS # 24 1/2" x 50 FT. RECOIL GARDEN HOSE

If you've ever run over, stepped on, or got caught up in a garden hose then you'll really appreciate these recoil garden hoses. They are 1/2" in diameter, and 50' long when stretched out. They have solid brass fittings and include a 6 function spray gun nozzle.

These are the perfect answer to unruly garden hoses on the side or back of the shop, on the patio, at the shop sink, or just conveniently tucked away on your house water bib. Springs back to original size after use for easy storage.



ITEM#:	DESCRIPTION:	
379	50' RECOIL WATERHOSE W/ NOZZLE	

CLASS # 24 RUBBER AIR HOSE

These heavy duty air hoses are engineered by Goodyear[®]. They are industrial grade for use in shops as well as garages. These hoses feature two ply tough nylon reinforcing and two ply rubber and are oil resistant.

They are 3/8" ID, (inside diameter), and have the 1/4" brass male fittings on both ends. These hoses have a working pressure of 150 PSI, (pounds per square inch), with a maximum rating of 300 PSI. Goodyear engineered products.



BLACK RUBBER AIR HOSE

401B100

3/8" x 100"

CLASS # 24 WELDING HOSE

This 1/4" red and green rubber hose is also called 'oxy/acetylene' hose or 'twin line welding hose'. It's used for connecting the welding and cutting torches to the gas cylinders. This hose features standard brass fittings and brass keepers to prevent kinking.

They feature a 300 to 900 PSI rating and are available in 25', 50' and 100' lengths.



ITEM#: DESCRIPTION:

407	1/4" x 25' TWIN LINE WELDING HOSE
406	1/4" x 50' TWIN LINE WELDING HOSE
408	1/4" x 100' TWIN LINE WELDING HOSE

CLASS # 24 1/4" YELLOW RECOIL AIR HOSE

This hose is self-storing, permanently coiled nylon air hose with a 200 PSI working pressure and spring guarded ends to prevent kinking. This hose springs back to its original shape and length and out of the way so it is great for assembly line work.

It is constructed of heavy duty, oil proof nylon and has a standard 1/4" NPT fitting on each end. Available in 25' and 50' lengths. Import



ITEM#:	SIZE:	DESCRIPTION:
405	1/4" x 25"	YELLOW RECOIL AIR HOSE
40550	1/4" x 50"	YELLOW RECOIL AIR HOSE